

## KP-XVR-04 4CH DVR



### Key Features

- 5mp Resolution
- H.265 plus compression
- Supports CVBS/ TVI/ AHD/ CVI & IP
- Hybrid (supports HD and IP both)
- iPhone & Android supported.



# KP-XVR-04

## 4CH DVR

### SYSTEM

Main processor: Hi3520D V300

### VIDEO

Codec: H.264/H.265+

Monitor: VGA; HDMI

Preview ability: 4\*5M-N@20fps (5 in 1) ; 4\*4M-N (5 in 1); 4\*1080P (5 in 1)

Encode ability: 4\*5M-N@12fps (5 in 1) ; 4\*4M-N@15fps (5 in 1) ;  
4\*1080P@15fps (5 in 1)

Playback: 2\*5M-N@12fps (5 in 1) ; 4\*4M-N@15fps (5 in 1);  
4\*1080P@15fps (5 in 1)

Hybrid Mode: analog:4\*1080P; 5MP -N  
hybrid :2\*1080P ( analog ) +2\*1080P (network) ; 4\*1080N ;  
(analog) + 4\*960P (network) ;  
(IP) network :16\*1080P ; 9\*1080P; 16\*960P ; 4\*5M;

Motion Detection: Each screen can be set to 192 (16\*12) detection areas;  
multi-level sensitivity can be set (Limited local channel)

### AUDIO

Audio: G.711A

Intercom: Support

### RECORD

Record mode: manual>alarm>motion detection>timing

Search mode: Search by time, calendar, event, channel

Video: HDD, network

Backup mode: Network, USB hard disk, USB burner, SATA burner

### EXTERNAL INTERFACE

Video input: 4ch BNC

Video output: 1ch VGA, 1ch HDMI

Network: RJ45 10M/100M self-adaption

Extension interface: 2\* USB 2.0 ports (Front -1, Back -1)

HDD: 1\*SATA ports (Max 8TB/per)

# KP-XVR-04

## 4CH DVR

### GENERAL

Power: 12V/2A

Working environment: Temperature:0°C - +55°C, Humidity:10% - 90%, Atm:86kpa - 106kpa

Dimension: 254mm x 228.6mm

Weight: 1kg